

| | | BD | S14 | M15 | T16 | W17 | T18 | F19 | S20 | S21 | M22 | T23 | W24 | T25 | F26 | S27 | S28 | M29 |
|----|---|----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | LITTLE GREBE <i>Tachybaptus ruficollis</i> | 1 | 2 | | | | | | | | | | | | | | | |
| 2 | GREAT CRESTED GREBE <i>Podiceps cristatus</i> | 1 | | | 2 | | | | | | | | | | | | | |
| 3 | SPOT-BILLED PELICAN <i>Pelicanus philippensis</i> | 3 | | | | | | | | | | | | | 50 | 80 | 5 | |
| 4 | LITTLE CORMORANT <i>Phalacrocorax niger</i> | 7 | 12 | 2 | 2 | | | | | | | | | 2 | 5 | 210 | 12 | |
| 5 | INDIAN SHAG <i>Phalacrocorax fuscicollis</i> | 2 | 15 | | | | | | | | | | | | | | 1 | |
| 6 | GREAT CORMORANT <i>Phalacrocorax carbo</i> | 3 | 1 | 1 | 50 | | | | | | | | | | | | | |
| 7 | ORIENTAL DARTER <i>Anhinga melanogaster</i> | 4 | 2 | | | | | | | | | | | | 3 | 10 | 1 | |
| 8 | LITTLE EGRET <i>Egretta garzetta</i> | 5 | | 2 | 12 | | | | | | | | | | 23 | 30 | 3 | |
| 9 | GREAT EGRET <i>Egretta alba</i> | 7 | 2 | 4 | 10 | | | | | | | | | 3 | 35 | 50 | 30 | |
| 10 | INTERMEDIATE EGRET <i>Egretta intermedia</i> | 7 | 10 | 30 | 30 | | | | | | | | | 30 | 35 | 70 | 55 | |
| 11 | GREY HERON <i>Ardea cinerea</i> | 6 | 10 | | 2 | | | | | | | | | 2 | 2 | 6 | 1 | |
| 12 | PURPLE HERON <i>Ardea purpurea</i> | 3 | 2 | | | | | | | | | | | | 3 | 4 | | |
| 13 | CATTLE EGRET <i>Bubulcus ibis</i> * | 7 | 15 | 200 | 120 | | | | | | | | | 250 | 200 | 250 | 300 | |
| 14 | INDIAN POND-HERON <i>Ardeola grayii</i> | 7 | 2 | 50 | 50 | | | | | | | | | 50 | 150 | 180 | 200 | |
| 15 | | | | | | | | | | | | | | | | | | |
| 16 | PAINTED STORK <i>Mycteria leucocephala</i> | 1 | 14 | | | | | | | | | | | | | | | |
| 17 | ASIAN OPENBILL <i>Anastomus oscitans</i> | 5 | | 15 | | | | | | | | | | 10 | 40 | 100 | 500 | |
| 18 | WOOLLY-NECKED STORK <i>Ciconia episcopus</i> | 4 | 2 | | | | | | | | | | | | 7 | 6 | 5 | |
| 19 | BLACK-NECKED STORK <i>Ephippiorhynchus asiaticus</i> | 3 | | 1 | | | | | | | | | | | 4 | 6 | | |
| 20 | LESSER ADJUTANT <i>Leptoptilos javanicus</i> | 6 | | 2 | 1 | | | | | | | | | 3 | 15 | 35 | 10 | |
| 21 | GREATER ADJUTANT <i>Leptoptilos dubius</i> | 3 | | | | | | | | | | | | 1 | 3 | 4 | | |
| 22 | GLOSSY IBIS <i>Plegadis falcinellus</i> | 1 | 5 | | | | | | | | | | | | | | | |
| 23 | BLACK-HEADED IBIS <i>Threskiornis melanoccephalus</i> | 3 | 5 | | | | | | | | | | | | 10 | 20 | | |
| 24 | BLACK IBIS <i>Pseudibis papillosa</i> | 1 | 3 | | | | | | | | | | | | | | | |
| 25 | EURASIAN SPOONBILL <i>Platalea leucorodia</i> | 1 | 10 | | | | | | | | | | | | | | | |
| 26 | LESSER WHISTLING-DUCK <i>Dendrocygna javanica</i> | 1 | | | | | | | | | | | | 16 | | | | |
| 27 | GREYLAG GOOSE <i>Anser anser</i> | 2 | 3 | | | | | | | | | | | | 30 | | | |
| 28 | BAR-HEADED GOOSE <i>Anser indicus</i> | 4 | 15 | | | | | | | | | | | 6 | 30 | 60 | | |
| 29 | RUDDY SHELDUCK <i>Tadorna ferruginea</i> | 5 | 2 | | 60 | | | 2 | | | | | | | 20 | 60 | | |
| 30 | COMMON SHELDUCK <i>Tadorna tadorna</i> | 1 | | | | | | | | | | | | | | 2 | | |
| 31 | WHITE-WINGED DUCK <i>Cairina scutulata</i> | 1 | | | 1pr | | | | | | | | | | | | | |
| 32 | GADWALL <i>Anas strepera</i> | 3 | 10 | | | | | | | | | | | | 20 | 40 | | |
| 33 | EURASIAN WIGEON <i>Anas penelope</i> | 3 | 400 | | | | | | | | | | | | 15 | 12 | | |
| 34 | MALLARD <i>Anas platyrhynchos</i> | 5 | | | 3 | | | 2 | | | | | | 2 | 4 | 4 | | |
| 35 | SPOT-BILLED DUCK <i>Anas poecilorhyncha</i> * | 3 | 8 | | | | | | | | | | | | 20 | 22 | | |
| 36 | NORTHERN SHOVELER <i>Anas clypeata</i> | 4 | 2000 | | 2 | | | | | | | | | | 1 | 40 | | |
| | | | 23 | 9 | 14 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 11 | 24 | 24 | 13 | 0 |
| | | BD | S14 | M15 | T16 | W17 | T18 | F19 | S20 | S21 | M22 | T23 | W24 | T25 | F26 | S27 | S28 | M29 |

| | | | | | | | | | | | | | | | | | | | |
|-----|---|--|----|-----|-----|-----|------|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 74 | PEREGRINE FALCON <i>Falco peregrinus</i> | | 3 | 1 | | | | | | | | | | | 1 | 2 | | | |
| 75 | GREY FRANCOLIN <i>Francolinus pondicerianus</i> | | 1 | 4 | | | | | | | | | | | | | | | |
| 76 | SWAMP FRANCOLIN <i>Francolinus gularis</i> | | 3 | | | | | | | | | | | | 2 | 2 | 1 | | |
| 77 | BLUE-BREASTED QUAIL <i>Coturnix chinensis</i> | | 1 | | | | | | | | | | | | | | 1 | | |
| 78 | HILL PARTRIDGE <i>Arborophila torqueola</i> | | 2 | | | | | | 3H | | | | 1 | | | | | | |
| 79 | CHESTNUT-BREASTED PARTRIDGE <i>Arborophila mandellii</i> | | 1 | | | | | | | 1 | | | | | | | | | |
| 80 | RUFIOUS-THROATED PARTRIDGE <i>Arborophila rufogularis</i> | | 2 | | | | | | | 2 | | | | | | | | | |
| 81 | BLOOD PHEASANT <i>Ithaginis cruentus</i> | | 1 | | | | | | 1m3f | | | | | | | | | | |
| 82 | BLYTH'S TRAGOPAN <i>Tragopan blythii</i> | | 2 | | | | | | | | H | H | | | | | | | |
| 83 | TEMMINCK'S TRAGOPAN <i>Tragopan temminckii</i> | | 1 | | | | | | | | | | H | | | | | | |
| 84 | HIMALAYAN MONAL <i>Lophophorus impejanus</i> | | 1 | | | | | | 1m2f | | | | | | | | | | |
| 85 | RED JUNGLEFOWL <i>Gallus gallus</i> | | 4 | | 2 | | | | | | | | | | 5 | 10 | 5 | | |
| 86 | KALIJ PHEASANT <i>Lophura leucomelanos</i> | | 3 | | | | | | | 3m1f | 11 | | 1 | | | | | | |
| 87 | INDIAN PEAFOWL <i>Pavo cristatus</i> | | 1 | 1 | | | | | | | | | | | | | | | |
| 88 | BENGAL FLORICAN <i>Houbaropsis bengalensis</i> | | 1 | | | | | | | | | | | | 1m | | | | |
| 89 | WHITE-BREASTED WATERHEN <i>Amaurornis phoenicurus</i> | | 4 | | 1 | | | | | | | | | | 2 | 2 | 1 | | |
| 90 | BROWN CRAKE <i>Porzana akool</i> | | 2 | | | 1 | | | | | | | | | | | 3 | | |
| 91 | BLACK-TAILED CRAKE <i>Porzana bicolor</i> | | 1 | | | | 1+2H | | | | | | | | | | | | |
| 92 | PURPLE SWAMPHEN <i>Porphyrio porphyrio</i> * | | 2 | 15 | | | | | | | | | | | 3 | | | | |
| 93 | COMMON MOORHEN <i>Gallinula chloropus</i> | | 3 | 65 | 12 | 6 | | | | | | | | | | | | | |
| 94 | EURASIAN COOT <i>Fulica atra</i> | | 2 | 200 | | | | | | | | | | | | | 1 | | |
| 95 | PHEASANT-TAILED JACANA <i>Hydrophasianus chirurgus</i> | | 1 | | 2 | | | | | | | | | | | | | | |
| 96 | BRONZE-WINGED JACANA <i>Metopidius indicus</i> | | 5 | 2 | 5 | | | | | | | | 1 | 30 | 2 | | | | |
| 97 | GREATER PAINTED-SNIPE <i>Rostratula benghalensis</i> | | 2 | | | 1 | | | | | | | | | | | | 2 | |
| 98 | PACIFIC GOLDEN PLOVER <i>Pluvialis fulva</i> | | 1 | | | | | | | | | | | | | | 26 | | |
| 99 | LONG-BILLED PLOVER <i>Charadrius placidus</i> | | 1 | | | | 1 | | | | | | | | | | | | |
| 100 | LITTLE RINGED PLOVER <i>Charadrius dubius</i> | | 3 | | | 1 | | | | | | | | | 40 | 4 | | | |
| 101 | KENTISH PLOVER <i>Charadrius alexandrinus</i> | | 1 | | | | | | | | | | | | 10 | | | | |
| 102 | GREATER SAND PLOVER <i>Charadrius leschenaultii</i> | | 1 | | | | | | | | | | | | 2 | | | | |
| 103 | NORTHERN LAPWING <i>Vanellus vanellus</i> | | 2 | | | | | | | | | | | | 2 | 6 | | | |
| 104 | RIVER LAPWING <i>Vanellus duvaucelii</i> | | 1 | | | 6 | | | | | | | | | | | | | |
| 105 | GREY-HEADED LAPWING <i>Vanellus cinereus</i> | | 2 | | | | | | | | | | | | 1 | 12 | | | |
| 106 | RED-WATTLED LAPWING <i>Vanellus indicus</i> | | 8 | 5 | 2 | 10 | 4 | | | | | | | 2 | 6 | 30 | 16 | | |
| 107 | PINTAIL SNIPE <i>Gallinago stenura</i> | | 2 | | | | | | | | | | | | | 3 | 6 | | |
| 108 | COMMON SNIPE <i>Gallinago gallinago</i> | | 3 | | | | | | | | | | | | 3 | 4 | 10 | | |
| | | | | 43 | 17 | 28 | 6 | 3 | 6 | 2 | 2 | 5 | 5 | 2 | 18 | 56 | 58 | 25 | 1 |
| | | | BD | S14 | M15 | T16 | W17 | T18 | F19 | S20 | S21 | M22 | T23 | W24 | T25 | F26 | S27 | S28 | M29 |
| 109 | SPOTTED REDSHANK <i>Tringa erythropus</i> | | 1 | | | | | | | | | | | | | 2 | | | |
| 110 | COMMON REDSHANK <i>Tringa totanus</i> | | 2 | 1 | | | | | | | | | | | | 3 | | | |

| | | | | | | | | | | | | | | | | | | | |
|-----|---|--|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 111 | COMMON GREENSHANK <i>Tringa nebularia</i> | | 3 | | | 2 | | | | | | | | | | 2 | 1 | | |
| 112 | MARSH SANDPIPER <i>Tringa stagnatilis</i> | | 3 | 1 | | | | | | | | | | | | 2 | 6 | | |
| 113 | GREEN SANDPIPER <i>Tringa ochropus</i> | | 5 | | 1 | 1 | | | | | | | 1 | | | | 10 | | |
| 114 | WOOD SANDPIPER <i>Tringa glareola</i> | | 4 | | | 1 | | | | | | | | 1 | 1 | 25 | | | |
| 115 | COMMON SANDPIPER <i>Actitis hypoleucos</i> | | 3 | | | 2 | | | | | | | | | | 1 | 2 | | |
| 116 | DUNLIN <i>Calidris alpina</i> | | 1 | | | | | | | | | | | | | 15 | | | |
| 117 | RUFF <i>Philomachus pugnax</i> | | 1 | 12 | | | | | | | | | | | | | | | |
| 118 | IBISBILL <i>Ibidorhyncha struthersii</i> | | 2 | | | 16 | 1 | | | | | | | | | | | | |
| 119 | BLACK-WINGED STILT <i>Himantopus himantopus</i> | | 2 | 10 | | | | | | | | | | | | 2 | | | |
| 120 | PIED AVOCET <i>Recurvirostra avosetta</i> | | 1 | | | | | | | | | | | | | 2 | | | |
| 121 | GREAT THICK-KNEE <i>Esacus recurvirostris</i> | | 1 | | | 2 | | | | | | | | | | | | | |
| 122 | ORIENTAL PRATINGCOLE <i>Glareola multivarum</i> | | 1 | 1 | | | | | | | | | | | | | | | |
| 123 | SMALL PRATINCOLE <i>Glareola lactea</i> | | 1 | | | 100 | | | | | | | | | | | | | |
| 124 | PALLAS'S GULL <i>Larus ichthyaetus</i> | | 1 | 5 | | | | | | | | | | | | | | | |
| 125 | BROWN-HEADED GULL <i>Larus brunnicephalus</i> | | 2 | 60 | | | | | | | | | | 1 | | | | | |
| 126 | BLACK-HEADED GULL <i>Larus ridibundus</i> | | 1 | 40 | | | | | | | | | | | | | | | |
| 127 | RIVER TERN <i>Sterna aurantia</i> | | 2 | | | 6 | | | | | | | | | | 1 | | | |
| 128 | BLACK-BELLIED TERN <i>Sterna acuticauda</i> | | 1 | | | | | | | | | | | | | | | 6 | |
| 129 | ROCK PIGEON <i>Columba livia</i> | | 7 | √ | √ | √ | | | | √ | | | | | | √ | √ | √ | |
| 130 | SNOW PIGEON <i>Columba leuconota</i> | | 1 | | | | | | | 120 | | | | | | | | | |
| 131 | ASHY WOOD PIGEON <i>Columba pulchricollis</i> | | 2 | | | | | | | | 20 | 2 | | | | | | | |
| 132 | ORIENTAL TURTLE-DOVE <i>Streptopelia orientalis</i> | | 7 | | 1 | 6 | 12 | | | 3 | | | | | | 3 | 3 | 4 | |
| 133 | LAUGHING DOVE <i>Streptopelia senegalensis</i> | | 1 | 5 | | | | | | | | | | | | | | | |
| 134 | SPOTTED DOVE <i>Streptopelia chinensis</i> | | 9 | 3 | 12 | 2 | 4 | | | | | | | | 50 | 50 | 150 | 100 | 4 |
| 135 | RED COLLARED-DOVE <i>Streptopelia tranquebarica</i> | | 3 | | | | | | | | | | | | | 6 | 1 | 2 | |
| 136 | EURASIAN COLLARED-DOVE <i>Streptopelia decaocto</i> | | 3 | 8 | 2 | | | | | | | | | | | 2 | | | |
| 137 | BARRED CUCKOO-DOVE <i>Macropygia unchall</i> | | 2 | | | 3 | | | | | | | 8 | | | | | | |
| 138 | EMERALD DOVE <i>Chalcophaps indica</i> | | 5 | | | 3 | | | | | | 4 | 1 | | | | 2 | 1 | |
| 139 | YELLOW-FOOTED GREEN-PIGEON <i>Treron phoenicopterus</i> | | 8 | 30 | 10 | 2 | | | | | | | | 10 | 10 | 10 | 2 | 2 | |
| 140 | WEDGE-TAILED GREEN-PIGEON <i>Treron sphenura</i> | | 1 | | | 1 | | | | | | | | | | | | | |
| 141 | GREEN IMPERIAL-PIGEON <i>Ducula aenea</i> | | 4 | | | 30 | | | | | | | | | 2 | 2 | 4 | | |
| 142 | MOUNTAIN IMPERIAL-PIGEON <i>Ducula badia</i> | | 2 | | | | | | | | 1 | 3 | | | | | | | |
| 143 | ALEXANDRINE PARAKEET <i>Psittacula eupatria</i> | | 3 | | | | | | | | | | | | | 12 | 20 | 2 | |
| 144 | ROSE-RINGED PARAKEET <i>Psittacula krameri</i> | | 8 | 15 | 12 | 2 | | | | | | | | | 15 | 50 | 60 | 20 | 5 |
| | | | | 57 | 23 | 44 | 10 | 3 | 10 | 3 | 2 | 6 | 8 | 4 | 23 | 73 | 70 | 33 | 4 |
| | | | BD | S14 | M15 | T16 | W17 | T18 | F19 | S20 | S21 | M22 | T23 | W24 | T25 | F26 | S27 | S28 | M29 |
| 145 | BLOSSOM-HEADED PARAKEET <i>Psittacula roseata</i> | | 3 | | | | | | | | | | | | 2 | 10 | 4 | | |
| 146 | RED-BREASTED PARAKEET <i>Psittacula alexandri</i> | | 5 | | | 15 | 2 | | | | | | | | | 6 | 26 | 35 | |
| 147 | LARGE HAWK-CUCKOO <i>Hierococcyx sparveroides</i> | | 6 | | | | | | 1 | | H | H | H | 1 | | | 1 | | |

| | | | | | | | | | | | | | | | | | | | |
|-----|--|--|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|-----|-----|-----|-----|-----|-----|
| 148 | BANDED BAY CUCKOO <i>Cacomantis sonneratii</i> | | 1 | | | | | | | | | 1 | | | | | | | |
| 149 | ASIAN KOEL <i>Eudynamis scolopaceus</i> | | 4 | 6 | 2 | 5 | H | | | | | | | | | | | | |
| 150 | GREEN-BILLED MALKOHA <i>Phaenicophaeus tristis</i> | | 3 | | | 2 | | | | | | | | 2 | | | 2 | | |
| 151 | GREATER COUCAL <i>Centropus sinensis</i> | | 7 | 3 | H | 2 | 2 | | | | | | | 1 | 2 | 3 | | | |
| 152 | LESSER COUCAL <i>Centropus bengalensis</i> | | 3 | | | | | | | | | | | | 2 | 1 | 2 | | |
| 153 | MOUNTAIN SCOPS-OWL <i>Otus spilocephalus</i> | | 1 | | | | | | | H | | | | | | | | | |
| 154 | ORIENTAL SCOPS-OWL <i>Otus sunia</i> | | 2 | | H | | | | | | H | | | | | | | | |
| 155 | SPOT-BELLIED EAGLE-OWL <i>Bubo nipalensis</i> | | 3 | | H | H | H | | | | | | | | | | | | |
| 156 | BROWN FISH-OWL <i>Ketupa zeylonensis</i> | | 1 | | | | | | | | | | | 1 | | | | | |
| 157 | HIMALAYAN OWL <i>Strix newarenesis</i> | | 1 | | | | H | | | | | | | | | | | | |
| 158 | BROWN WOOD-OWL <i>Strix leptogrammica</i> | | 1 | | | | | | | | | H | | | | | | | |
| 159 | COLLARED OWLET <i>Galucidium brodiei</i> | | 4 | | | | | | | H | | H | H | H | | | | | |
| 160 | ASIAN BARRED OWLET <i>Glauucidium cuculoides</i> | | 1 | | | 6 | | | | | | | | | | | | 1 | |
| 161 | SPOTTED OWLET <i>Athene brama</i> | | 5 | 4 | H | H | H | | | | | | | | | | | 1 | |
| 162 | BROWN HAWK-OWL <i>Ninox scutulata</i> | | 4 | | 3 | 3 | 2 | | | | | | | | | | | 1 | |
| 163 | GREY NIGHTJAR <i>Caprimulgus indicus</i> | | 4 | | | | | | | H | H | | 1 + H | H | | | | | |
| 164 | LARGE-TAILED NIGHTJAR <i>Caprimulgus macrurus</i> | | 2 | | | | H | | | | | | | | | | | 1 | |
| 165 | SAVANNA NIGHTJAR <i>Caprimulgus affinis</i> | | 1 | | | | | | | | | | | | | | | H | |
| 166 | ASIAN PALM-SWIFT <i>Cypsiurus balasiensis</i> | | 7 | | 12 | 10 | 2 | | | | | | | 50 | 30 | 25 | 15 | | |
| 167 | LITTLE SWIFT <i>Apus affinis</i> | | 6 | 1 | 25 | 3 | | | | | | | | | | 1 | | 10 | 3 |
| 168 | FORK-TAILED SWIFT <i>Apus pacificus</i> | | 4 | | | | | | 20 | 10 | | | | | | 3 | | 2 | |
| 169 | RED-HEADED TROGON <i>Harpactes erythrocephalus</i> | | 2 | | | | | | | | | 1m | 1m | | | | | | |
| 170 | WARD'S TROGON <i>Harpactes wardi</i> | | 1 | | | | | | | 1pr | | | | | | | | | |
| 171 | BLYTH'S KINGFISHER <i>Alcedo hercules</i> | | 1 | | | | | | | | | 1 | | | | | | | |
| 172 | COMMON KINGFISHER <i>Alcedo atthis</i> | | 3 | | | 1 | | | | | | | | | | 1 | 1 | | |
| 173 | STORK-BILLED KINGFISHER <i>Pelargopsis capensis</i> | | 1 | | | | | | | | | | | | | 1 | | | |
| 174 | WHITE-THROATED KINGFISHER <i>Halcyon smyrnensis</i> | | 8 | 2 | 5 | 20 | | | | | | | | 1 | 15 | 10 | 10 | 1 | |
| 175 | CRESTED KINGFISHER <i>Ceryle lugubris</i> | | 2 | | | 2 | 1 | | | | | | | | | | | | |
| 176 | PIED KINGFISHER <i>Ceryle rudis</i> | | 3 | | | 12 | | | | | | | | | 4 | 6 | | | |
| 177 | BLUE-BEARDED BEE-EATER <i>Nyctyornis athertoni</i> | | 1 | | | 1 | | | | | | | | | | | | | |
| 178 | BLUE-TAILED BEE-EATER <i>Merops philippinus</i> | | 4 | | 1 | | | | | | | | | 1 | 15 | | 4 | | |
| 179 | CHESTNUT-HEADED BEE-EATER <i>Merops leschenaulti</i> | | 4 | | | 6 | | | | | | | | 2 | 2 | 2 | | | |
| 180 | LITTLE GREEN BEE-EATER <i>Merops orientalis</i> | | 6 | 30 | 10 | 30 | | | | | | | | | | 12 | 40 | 15 | |
| | | | | 62 | 33 | 61 | 20 | 3 | 11 | 4 | 8 | 11 | 13 | 9 | 32 | 84 | 84 | 40 | 6 |
| | | | BD | S14 | M15 | T16 | W17 | T18 | F19 | S20 | S21 | M22 | T23 | W24 | T25 | F26 | S27 | S28 | M29 |
| 181 | INDIAN ROLLER <i>Coracias benghalensis</i> | | 3 | | 2 | 6 | 2 | | | | | | | | | | | | |
| 182 | DARK-BILLED ROLLER <i>Coracias affinis</i> | | 3 | | | | | | | | | | | | | 5 | 10 | 5 | |
| 183 | DOLLARBIRD <i>Eurystomus orientalis</i> | | 1 | | | 1 | | | | | | | | | | | | | |
| 184 | COMMON HOOPOE <i>Upupa epops</i> | | 9 | | | 2 | 1 | | 1 | H | 4 | | | 2 | | 1 | 3 | 1 | |

| | | | | | | | | | | | | | | | | | | | |
|-----|---|--|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 222 | WHITE WAGTAIL <i>Motacilla alba</i> | | 5 | 3 | | | | | | 2 | | | | | | 30 | 50 | 12 | |
| 223 | WHITE-BROWED WAGTAIL <i>Motacilla maderaspatensis</i> | | 2 | | | 12 | 3 | | | | | | | | | | | | |
| 224 | CITRINE WAGTAIL <i>Motacilla citreola</i> | | 5 | 150 | | 1 | | | | | | | | | | 1 | 2 | [3] | |
| 225 | WESTERN YELLOW WAGTAIL <i>Motacilla flava</i> | | 3 | 10 | | 2 | | | | | | | | | | | 15 | | |
| 226 | GREY WAGTAIL <i>Motacilla cinerea</i> | | 1 | | | | | | | | | 1 | | | | | | | |
| 227 | PADDYFIELD PIPIT <i>Anthus rufulus</i> | | 2 | | | | 1 | | | | | | | | | | | 2 | |
| 228 | BLYTH'S PIPIT <i>Anthus godlewskii</i> | | 2 | | | 2 | 1 | | | | | | | | | | | | |
| 229 | OLIVE-BACKED PIPIT <i>Anthus hodgsoni</i> | | 12 | 10 | | 30 | 3 | 6 | | 6 | 6 | 2 | 25 | 6 | 30 | | 15 | 6 | |
| 230 | ROSY PIPIT <i>Anthus roseatus</i> | | 2 | | | | | | | | | | | | | 3 | | 1 | |
| 231 | LARGE CUCKOOSHRIKE <i>Coracina macei</i> | | 6 | | | 2 | 2 | | | | | | | | 1 | 3 | 5 | 1 | |
| 232 | BLACK-WINGED CUCKOOSHRIKE <i>Coracina melaschistos</i> | | 4 | | 1 | 2 | | | | | | 2 | 2 | | | | | | |
| 233 | LONG-TAILED MINIVET <i>Pericrocotus ethologus</i> | | 8 | | | 5 | | | | 5 | 2 | 1 | 10 | 2 | | | 10 | 2 | |
| 234 | SHORT-BILLED MINIVET <i>Pericrocotus brevirostris</i> | | 2 | | | | | | | | 4 | 2 | | | | | | | |
| 235 | SCARLET MINIVET <i>Pericrocotus speciosus</i> | | 2 | | | 4 | | | | | | | 2 | | | | | | |
| 236 | GREY-CHINNED MINIVET <i>Pericrocotus solaris</i> | | 3 | | | | | | | | | 6 | 4 | 4 | | | | | |
| 237 | BAR-WINGED FLYCATCHER-SHRIKE <i>Hemipus picatus</i> | | 2 | | | | | | | | | | 6 | | | | 2 | | |
| 238 | STRIATED BULBUL <i>Pycnonotus striatus</i> | | 5 | | | | | | | 6 | 5 | 18 | 30 | 10 | | | | | |
| 239 | BLACK-CRESTED BULBUL <i>Pycnonotus melanicterus</i> * | | 2 | | | 1 | | | | | | | 1 | | | | | | |
| 240 | RED-WHISKERED BULBUL <i>Pycnonotus jocosus</i> | | 8 | | | 30 | 5 | | | | | 2 | | 1 | 2 | 15 | 50 | 25 | |
| 241 | WHITE-EARED BULBUL <i>Pycnonotus leucotis</i> | | 2 | 1 | 1 | | | | | | | | | | | | | | |
| 242 | RED-VENTED BULBUL <i>Pycnonotus cafer</i> | | 12 | 25 | 30 | 70 | 40 | 5 | 15 | 20 | | | | | 50 | 4- | 100 | 55 | 2 |
| 243 | WHITE-THROATED BULBUL <i>Alophoixus flavenolus</i> | | 2 | | | | | | | | | | | 8 | | 2 | | | |
| 244 | MOUNTAIN BULBUL <i>Hypsipetes mccllellandi</i> | | 4 | | | 1 | | 2 | | | | 10 | 12 | | | | | | |
| 245 | BLACK BULBUL <i>Hypsipetes leucocephalus</i> * | | 6 | | | 12 | | | 5 | 1 | | 16 | 20 | | | 12 | | | |
| 246 | GOLDEN-FRONTED LEAFBIRD <i>Chloropsis aurifrons</i> | | 3 | | 1 | 12 | | | | | | | | | | | 2 | | |
| 247 | ORANGE-BELLIED LEAFBIRD <i>Chloropsis hardwickii</i> | | 3 | | | | | | | | | 4 | 10 | 3 | | | | | |
| 248 | COMMON IORA <i>Aegithina tiphia</i> | | 4 | | | 6 | | | | | | | | | | 2 | 1 | 2 | |
| 249 | BROWN DIPPER <i>Cinclus pallasii</i> | | 5 | | | | 1 | | 2 | 1 | | | 5 | | 2 | | | | |
| 250 | WINTER WREN <i>Troglodytes troglodytes</i> | | 3 | | | | 1 | 2 | 2 | | | | | | | | | | |
| 251 | ALPINE ACCENTOR <i>Prunella collaris</i> | | 2 | | | | | | 7 | | | | | 1 | | | | | |
| 252 | RUFOUS-BREASTED ACCENTOR <i>Prunella strophitata</i> | | 4 | | | | | 4 | 8 | 3 | | | | | 1 | | | | |
| | | | | 72 | 42 | 91 | 37 | 9 | 20 | 13 | 16 | 24 | 32 | 20 | 42 | 102 | 102 | 56 | 8 |
| | | | BD | S14 | M15 | T16 | W17 | T18 | F19 | S20 | S21 | M22 | T23 | W24 | T25 | F26 | S27 | S28 | M29 |
| 253 | MAROON-BACKED ACCENTOR <i>Prunella immaculata</i> | | 1 | | | | | 4 | 1 | | | | | | | | | | |
| 254 | CHESTNUT-BELLIED ROCK-THRUSH <i>Monticola rufiventris</i> | | 3 | | | | H | 1 | | | | 3 | | | | | | | |
| 255 | BLUE ROCK-THRUSH <i>Monticola solitarius</i> | | 5 | | | 2 | 3 | 2 | | 1 | | | | | 2 | | | | |
| 256 | BLUE WHISTLING-THRUSH <i>Myophonus caeruleus</i> | | 7 | | | | | 6 | 6 | 4 | 1 | | 2 | | 2 | | 2 | | |
| 257 | PLAIN-BACKED THRUSH <i>Zoothera mollissima</i> | | 1 | | | | | 2 | | | | | | | | | | | |
| 258 | TICKELL'S THRUSH <i>Turdus unicolor</i> | | 1 | | | | | | | | | 3 | | | | | | | |

| | | | | | | | | | | | | | | | | | | | |
|-----|---|--|----|-----|-----|-----|-----|-----|-----|--------|--------|--------|-----|-----|-----|-----|-----|-----|-----|
| 259 | BLACK-BREADED THRUSH <i>Turdus dissimilis</i> | | 1 | | | | 1 | | | | | | | | | | | | |
| 260 | WHITE-COLLARED BLACKBIRD <i>Turdus albocinctus</i> | | 2 | | | | | 6 | 2 | | | | | | | | | | |
| 261 | EURASIAN BLACKBIRD <i>Turdus merula kinnisii</i> | | 1 | | | | | | | | | | | | | | | | 1 |
| 262 | CHESTNUT THRUSH <i>Turdus rubrocanus</i> | | 1 | | | | | 2 | | | | | | | | | | | |
| 263 | GOULD'S SHORTWING <i>Brachypteryx stellata</i> | | 1 | | | | | | | | H | | | | | | | | |
| 264 | ZITTING CISTICOLA <i>Cisticola juncidis</i> | | 1 | | | | | | | | | | | | 3 | | | | |
| 265 | YELLOW-BELLIED PRINIA <i>Prinia flaviventris</i> | | 1 | 3 | | | | | | | | | | | | | | | |
| 266 | ASHY PRINIA <i>Prinia socialis</i> | | 2 | 15 | | | | | | | | | | | | | | 1 | |
| 267 | PLAIN PRINIA <i>Prinia inornata</i> | | 2 | 2 | | | | | | | | | | | | | | | 2 |
| 268 | CHESTNUT-HEADED TESIA <i>Tesia castaneocoronata</i> | | 1 | | | | | | | | | | | | 2 | | | | |
| 269 | SLATY-BELLIED TESIA <i>Tesia olivea</i> | | 1 | | | | | | | | | 2 | | | | | | | |
| 270 | GREY-BELLIED TESIA <i>Tesia cyaniventer</i> | | 2 | | | | | | | | | 2 | 1 | | | | | | |
| 271 | BROWNISH-FLANKED BUSH-WARBLER <i>Cettia fortipes</i> | | 5 | | | | | | | 1 + 3H | 1 + 3H | H | H | H | | | | | |
| 272 | BLYTH'S REED-WARBLER <i>Acrocephalus dumetorum</i> | | 3 | | | 1 | | | | | | | | | | | H | | 1 |
| 273 | MOUNTAIN TAILORBIRD <i>Orthotomus cuculatus</i> | | 2 | | | | | | | | | 2 + 2H | | | | | 4 | | |
| 274 | COMMON TAILORBIRD <i>Orthotomus sutorius</i> | | 8 | 10 | 12 | 30 | 2 | | | | | | 4 | | | | 2 | 6 | 2 |
| 275 | CHIFFCHAFF <i>Phylloscopus collybita</i> | | 1 | 10 | | | | | | | | | | | | | | | |
| 276 | DUSKY WARBLER <i>Phylloscopus fuscatus</i> | | 5 | | | 2 | | | | 1 | | | | | | | 8 | | H H |
| 277 | TICKELL'S LEAF-WARBLER <i>Phylloscopus affinis</i> | | 4 | | | 1 | 1 | | | 1 | | | | | | | | | 1 |
| 278 | BUFF-BARRED WARBLER <i>Phylloscopus pulcher</i> | | 5 | | | | | | | | 2 | 6 | 4 | 10 | | | 1 | | |
| 279 | ASHY-THROATED WARBLER <i>Phylloscopus maculipennis</i> | | 5 | | | | 2 | 30 | | 6 | 2 | | | | | | 5 | | |
| 280 | LEMON-RUMPED WARBLER <i>Phylloscopus chloronotus</i> | | 3 | | | | | 5 | | 12 | | | | | | | 1 | | |
| 281 | HUMES WARBLER <i>Phylloscopus humei</i> | | 4 | | | 1 | | | | 2 | | 1 | | | | | | | 1 |
| 282 | WESTERN CROWNED WARBLER <i>Phylloscopus occipitalis</i> | | 1 | | | 3 | | | | | | | | | | | | | |
| 283 | YELLOW-VENTED WARBLER <i>Phylloscopus cantator</i> | | 1 | | | | | | | | | | 1 | | | | | | |
| 284 | GREY-HOODED WARBLER <i>Phylloscopus xanthoschistos</i> | | 4 | | | | | | | 1 | 2 | 8 | | | | | 2 | | |
| 285 | WHISTLER'S WARBLER <i>Seicercus whistleri</i> | | 1 | | | | | | | | 2 | | | | | | | | |
| 286 | GREY-CHEEKED WARBLER <i>Seicercus poliogenys</i> | | 3 | | | | | | | | 2 | 6 | | | | | 4 | | |
| 287 | CHESTNUT-CROWNED WARBLER <i>Seicercus castaniceps</i> | | 4 | | | | | | | 1 | 6 | 2 | | | | | 2 | | |
| 288 | YELLOW-BELLIED WARBLER <i>Abrosopus superciliaris</i> | | 2 | | | | | | | | | | | 2 | 1 | | | | |
| | | | | 77 | 43 | 98 | 42 | 19 | 23 | 23 | 26 | 32 | 38 | 27 | 45 | 106 | 106 | 60 | 9 |
| | | | BD | S14 | M15 | T16 | W17 | T18 | F19 | S20 | S21 | M22 | T23 | W24 | T25 | F26 | S27 | S28 | M29 |
| 289 | RUFOUS-FACED WARBLER <i>Abrosopus albogularis</i> | | 2 | | | | | | | | | | | 4 | 2 | | | | |
| 290 | BLACK-FACED WARBLER <i>Abrosopus schisticeps</i> | | 4 | | | | | 10 | | 1 | 20 | 20 | | | | | | | |
| 291 | BROAD-BILLED WARBLER <i>Tickellia hodgsoni</i> | | 2 | | | | | 1 | | | | | | 2 | | | | | |
| 292 | STRIATED GRASSBIRD <i>Megalurus palustris</i> | | 5 | 2 | | 1 | | | | | | | | | | 1 | 2 | 1 | |
| 293 | RUSTY-TAILED FLYCATCHER <i>Muscicapa ruficauda</i> | | 1 | | | | | | | | | 1 | | | | | | | |
| 294 | RUFOUS-GORGETED FLYCATCHER <i>Ficedula strophiatea</i> | | 4 | | | | | 3 | | | 1f | | 1 | 1 | | | | | |
| 295 | RED-THROATED FLYCATCHER <i>Ficedula albicilla</i> * | | 4 | | | | | | | | | | | | 1m | 1 | 1 | 3 | |

| | | | | | | | | | | | | | | | | | | | |
|-----|---|--|----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|
| 296 | LITTLE PIED FLYCATCHER <i>Ficedula westermanni</i> | | 1 | | | | | | | | | 5 | | | | | | | |
| 297 | ULTRAMARINE FLYCATCHER <i>Ficedula superciliaris</i> | | 1 | | | | | | | | | 2 | | | | | | | |
| 298 | SLATY-BLUE FLYCATCHER <i>Ficedula tricolor</i> | | 1 | | | | | | | | 1f | | | | | | | | |
| 299 | SAPPHIRE FLYCATCHR <i>Ficedula sapphira</i> | | 2 | | | | | | | 1f | | 3 | | | | | | | |
| 300 | VERDITER FLYCATCHER <i>Eumyias thalassinus</i> | | 5 | | 4 | | | | | 12 | 5 | 12 | | 1 | | | | | |
| 301 | LARGE NILTAVA <i>Niltava grandis</i> | | 1 | | 1 | | | | | | | | | | | | | | |
| 302 | SMALL NILTAVA <i>Niltava macgrigoriae</i> | | 3 | | 1 | | | | | | 2 | 2 | | | | | | | |
| 303 | RUFOUS-BELLIED NILTAVA <i>Niltava sundara</i> | | 1 | | 1 | | | | | | | | | | | | | | |
| 304 | PALE BLUE-FLYCATCHER <i>Cyornis unicolor</i> | | 1 | | | | | | | | | 2 | | | | | | | |
| 305 | TICKELL'SBLUE FLYCATCHER <i>Cyornis tickellii</i> | | 1 | | 1m | | | | | | | | | | | | | | |
| 306 | GREY-HEADED CANARY-FLYCATCHER <i>Culicicapa ceylonensis</i> | | 7 | | | 1 | 12 | | 2 | 30 | 35 | 12 | 3 | | | | | | |
| 307 | WHITE-TAILED RUBYTHROAT <i>Luscinia pectoralis</i> | | 1 | | | | | | | | | | | | | | 2 | | |
| 308 | BLUETHROAT <i>Luscinia svecica</i> | | 1 | | | | | | | | | | | | | | 1 | | |
| 309 | RED-FLANKED BLUETAIL <i>Tarsiger cyanurus</i> * | | 4 | | | | | 1f | | | 2m | 1m3f | 1 | | | | | | |
| 310 | WHITE-BROWED BUSH-ROBN <i>Tarsiger indicus</i> | | 1 | | | | | | | | 1 | | | | | | | | |
| 311 | RUFOUS-BREASTED BUSH-ROBIN <i>Tarsiger hyperythrus</i> | | 1 | | | | | | | | | | 1f | | | | | | |
| 312 | ORIENTAL MAGPIE-ROBIN <i>Copsychus saularis</i> | | 7 | 4 | 6 | 2 | | | | | | | | 2 | 2 | 5 | 10 | | |
| 313 | INDIAN ROBIN <i>Saxicoloides fulicata</i> | | 4 | 4 | 1 | | | | | | | | | | | | | 1 | |
| 314 | BLACK REDSTART <i>Phoenicurus ochruros</i> | | 7 | | 1 | 2 | | 1 | v | | | | | 1 | 1 | 1 | | | |
| 315 | HODGSON'S REDSTART <i>Phoenicurus hodgsoni</i> | | 6 | | 2 | 6 | | 1 | 1 | 1 | | | 1 | | | | | | |
| 316 | WHITE-THROATED REDSTART <i>Phoenicurus schisticeps</i> | | 1 | | | | | 10 | | | | | | | | | | | |
| 317 | DAURIAN REDSTART <i>Phoenicurus auroreus</i> | | 1 | | 1m | | | | | | | | | | | | | | |
| 318 | BLUE-FRONTED REDSTART <i>Phoenicurus frontalis</i> | | 8 | | | 1 | 6 | 14 | 10 | | 1 | | 1 | 1 | 3 | | | | |
| 319 | WHITE-CAPPED RIVER-CHAT <i>Chaimarrornis leucocephalus</i> | | 4 | | | 3 | | 1 | 1 | | | 6 | | | | | | | |
| 320 | PLUMBEOUS WATER-REDSTART <i>Rhyacornis fuliginosa</i> | | 7 | | 3 | 12 | 2 | 2 | 2 | | | 4 | | | 2 | | | | |
| 321 | GRANDALA <i>Grandala coelicolor</i> | | 1 | | | | | 2 | | | | | | | | | | | |
| 322 | BLACK-BACKED FORKTAIL <i>Enicurus immaculatus</i> | | 2 | | | | | | | | 1 | 3 | | | | | | | |
| 323 | SLATY-BACKED FORKTAIL <i>Enicurus schistaceus</i> | | 1 | | | | | | | | | 2 | | | | | | | |
| 324 | SPOTTED FORKTAIL <i>Enicurus maculatus</i> | | 1 | | | | | | | 2 | 1 | | | | | | | | |
| | | | | 79 | 44 | 109 | 48 | 25 | 31 | 29 | 32 | 42 | 53 | 36 | 47 | 109 | 110 | 65 | 10 |
| | | | BD | S14 | M15 | T16 | W17 | T18 | F19 | S20 | S21 | M22 | T23 | W24 | T25 | F26 | S27 | S28 | M29 |
| 325 | GREEN COCHOA <i>Cochoa viridis</i> | | 1 | | | | | | | | | | 1 | | | | | | |
| 326 | SIBERIAN STONECHAT <i>Saxicola maurus</i> * | | 8 | 12 | 4 | 20 | 4 | | | | | | | | 2 | 6 | 20 | 2 | |
| 327 | WHITE-TAILED STONECHAT <i>Saxicola leucurus</i> | | 1 | 4 | | | | | | | | | | | | | | | |
| 328 | PIED BUSHCHAT <i>Saxicola caprata</i> | | 2 | 1pr | | | | | | 1 | | | | | | | | | |
| 329 | GREY BUSHCHAT <i>Saxicola ferreus</i> | | 3 | | | | | | 1 | 2 | | | | | 3 | | | | |
| 330 | BROWN ROCK-CHAT <i>Cercomela fusca</i> | | 1 | | | | | | | | | | | | | | | | 2 |
| 331 | YELLOW-BELLIED FANTAIL <i>Rhipidura hypoxantha</i> | | 5 | | | | | 1 | | 1 | 15 | 5 | | 6 | | | | | |
| 332 | WHITE-THROATED FANTAIL <i>Rhipidura albicollis</i> | | 4 | | | | | | | 1 | 5 | 2 | 6 | | | | | | |

| | | | | | | | | | | | | | | | | | | | |
|-----|---|--|----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 333 | BLACK-NAPED MONARCH <i>Hypothymis azurea</i> | | 2 | | | 4 | | | | | | 2 | | | | | | | |
| 334 | ASIAN PARADISE FLYCATCHER <i>Terpsiphone paradisi</i> | | 1 | | | 1 | | | | | | | | | | | | | |
| 335 | WHITE-CRESTED LAUGHINGTHRUSH <i>Garrulax leucolophus</i> | | 2 | | | | | | | | 5 | 4 | | | | | | | |
| 336 | LESSER NECKLACED LAUGHINGTHRUSH <i>Garrulax monileger</i> | | 1 | | | | | | | | | | | 6 | | | | | |
| 337 | STRIATED LAUGHINGTHRUSH <i>Grammatoptila striata</i> | | 4 | | | | H | | 1 | 1 | 6 | | | | | | | | |
| 338 | RUFIOUS-NECKED LAUGHINGTHRUSH <i>Garrulax ruficollis</i> | | 1 | | | | | | | | | | | | | | 1 | | |
| 339 | SPOTTED LAUGHINGTHRUSH <i>Garrulax ocellatus</i> | | 3 | | | | 1 | 3H | | 1 | | | | | | | | | |
| 340 | GREY-SIDED LAUGHINGTHRUSH <i>Garrulax caerulatus</i> | | 2 | | | | | | | | 4 | | 2 | | | | | | |
| 341 | BHUTAN LAUGHINGTHRUSH <i>Garrulax imbricatus</i> | | 4 | | | | | | 8 | 2 | | | 6 | 4 | | | | | |
| 342 | SCALY LAUGHINGTHRUSH <i>Garrulax subunicolor</i> | | 1 | | | | | | | 5 | | | | | | | | | |
| 343 | BLACK-FACED LAUGHINGTHRUSH <i>Garrulax affinis</i> | | 1 | | | | | | | | | | | 2 | | | | | |
| 344 | CHESTNUT-CROWNED LAUGHINGTHRUSH <i>Tr. Erythrocephalus</i> | | 4 | | | | 3 | | 2 | 1 | | | | 10H | | | | | |
| 345 | BUGUN LIOCICHLA <i>Liocichla bugunorum</i> | | 2 | | | | | | | 1pr | | | | H | | | | | |
| 346 | WHITE-BROWED SCIMITAR-BBLR <i>Pomatorhinus schisticeps</i> | | 1 | | | | | | | | | H | | | | | | | |
| 347 | STREAK-BREASTED SCIMITAR-BLR <i>Pomatorhinus ruficollis</i> | | 2 | | | | 4 | | | | | | | 6 | | | | | |
| 348 | SLENDER-BILLED SCIMITAR-B. <i>Xiphirhynchus supercilii</i> | | 2 | | | | | | 1 | 12 | | | | | | | | | |
| 349 | LONG-BILLED WREN-BABBLER <i>Rimator malacoptilus</i> | | 1 | | | | | | | | | | 1 | | | | | | |
| 350 | SCALY-BREASTED WREN-BABBLER <i>Pnoepyga albiventer</i> | | 2 | | | | | | H | | | 1 | | | | | | | |
| 351 | PYGMY WREN-BABBLER <i>Pnoepyga pusilla</i> | | 2 | | | | | | | | | H | | H | | | | | |
| 352 | RUFIOUS-THROATED WREN-BBLR <i>Spelaornis caudatus</i> | | 4 | | | | | | 1+1H | H | H | | | H | | | | | |
| 353 | BAR-WINGED WREN-BABBLER <i>Spelaornis troglodytoides</i> | | 2 | | | | H | | | 1 | | | | | | | | | |
| 354 | WEDGE-BILLED WREN-BABBLER <i>Sphenocichla humei</i> | | 2 | | | | | | H | | | 4 | | | | | | | |
| 355 | RUFIOUS-FRONTED BABBLER <i>Stachyris rufifrons</i> | | 1 | | | | | | | | | | H | | | | | | |
| 356 | RUFIOUS-CAPPED BABBLER <i>Stachyris ruficeps</i> | | 2 | | | | | | | 4 | | | | 6 | | | | | |
| 357 | GOLDEN BABBLER <i>Stachyris chrysaea</i> | | 2 | | | | | | 2 | | | 15 | | | | | | | |
| 358 | GREY-THROATED BABBLER <i>Stachyris nigriceps</i> | | 1 | | | | | | | | | 2 | | | | | | | |
| 359 | STRIPED TIT-BABBLER <i>Macronous gularis</i> | | 1 | | | 2 | | | | | | | | | | | | | |
| 360 | CHESTNUT-CAPPED BABBLER <i>Timalia pileata</i> | | 2 | | | | | | | | | | | | | 2 | 1 | | |
| | | | | 82 | 45 | 113 | 51 | 28 | 38 | 39 | 43 | 51 | 63 | 38 | 51 | 110 | 111 | 67 | 12 |
| | | | BD | S14 | M15 | T16 | W17 | T18 | F19 | S20 | S21 | M22 | T23 | W24 | T25 | F26 | S27 | S28 | M29 |
| 361 | JERDON'S BABBLER <i>Chrysomma altirostre</i> | | 1 | | | | | | | | | | | | | H | | | |
| 362 | STRIATED BABBLER <i>Turdoides earlei</i> | | 2 | 1 | | | | | | | | | | | | | 2 | | |
| 363 | JUNGLE BABBLER <i>Turdoides striata</i> | | 1 | | 8 | | | | | | | | | | | | | | |
| 364 | SILVER-EARED MESIA <i>Leiothrix argentauris</i> | | 3 | | | | | | | | | 2 | 30 | 4 | | | | | |
| 365 | CUTIA <i>Cutia nipalensis</i> | | 1 | | | | | | | | | | | | H | | | | |
| 366 | WHITE-BROWED SHRIKE-BABBLER <i>Pteruthius flaviscapis</i> | | 4 | | | | | | | | H | 2 | 2 | 2 | | | | | |
| 367 | GREEN SHRIKE-BABBLER <i>Pteruthius xanthochlorus</i> | | 2 | | | | | 2 | | | | | | | 2 | | | | |
| 368 | BLACK-EARED SHRIKE-BABBLER <i>Pteruthius melanotis</i> | | 2 | | | | | | | | 1 | | | | 3 | | | | |
| 369 | WHITE-HOODED BABBLER <i>Gampsorrhynchus rufulus</i> | | 1 | | | | | | | | | | 6 | | | | | | |

| | | | | | | | | | | | | | | | | | | | |
|-----|---|--|----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 407 | BEAUTIFUL NUTHATCH <i>Sitta formosa</i> | | 1 | | | | | | | | 1 | | | | | | | | |
| 408 | WALLCREEPER <i>Tichodroma muraria</i> | | 1 | | | 1 | | | | | | | | | | | | | |
| 409 | HODGSON'S TREECREEPER <i>Certhia hodgsoni</i> | | 1 | | | | 2 | | | | | | | | | | | | |
| 410 | BAR-TAILED TREECREEPER <i>Certhia himalayana</i> | | 2 | | | | 1 | | 1 | | | | | | | | | | |
| 411 | RUSTY-FLANKED TREECREEPER <i>Certhia nipalensis</i> | | 1 | | | | 2 | | | | | | | | | | | | |
| 412 | BROWN-THROATED TREECREEPER <i>Certhia discolor</i> | | 2 | | | 1 | 1 | | | | | | | | | | | | |
| 413 | PURPLE SUNBIRD <i>Cinnyris asiaticus</i> | | 4 | 5m4f | 10 | | H | | | | | | | | | | | 1pr | |
| 414 | MRS GOULD'S SUNBIRD <i>Aethopyga gouldiae</i> | | 4 | | | | | | 1pr | 20 | 2 | | | 1pr | | | | | |
| 415 | GREEN-TAILED SUNBIRD <i>Aethopyga nipalensis</i> | | 4 | | | | 4 | | | 15 | | | 6 | 6 | | | | | |
| 416 | BLACK-THROATED SUNBIRD <i>Aethopyga saturata</i> | | 3 | | | | | | | | 4 | 6 | 2 | | | | | | |
| 417 | CRIMSON SUNBIRD <i>Aethopyga siparaja</i> | | 5 | | | 1m | | | | 2 | | 1m | | | 1pr | 3 | | | |
| 418 | LITTLE SPIDERHUNTER <i>Arachnothera longirostra</i> | | 1 | | | | 1 | | | | | | | | | | | | |
| 419 | STREAKED SPIDERHUNTER <i>Arachnothera magna</i> | | 2 | | | | | | | | 6 | 20 | | | | | | | |
| 420 | SCARLET-BACKED FLOWERPECKER <i>Dicaeum cruentatum</i> | | 1 | | | 1f | | | | | | | | | | | | | |
| 421 | ORIENTAL WHITE-EYE <i>Zosterops palpebrosus</i> | | 6 | | | | 2 | 2 | 1 | 2 | | | | | 2 | 40 | | | |
| 422 | BLACK-HOODED ORIOLE <i>Oriolus xanthornus</i> | | 6 | | 1 | 1 | 1 | | | | | | | 3 | 4 | 3 | | | |
| 423 | MAROON ORIOLE <i>Oriolus traillii</i> | | 3 | | | 1m | | | | | 1 | 4 | | | | | | | |
| 424 | ASIAN FAIRY-BLUEBIRD <i>Irene puella</i> | | 1 | | | 2 | | | | | | | | | | | | | |
| 425 | BROWN SHRIKE <i>Lanius cristatus</i> | | 1 | | | | | | 1 | | | | | | | | | | |
| 426 | LONG-TAILED SHRIKE <i>Lanius schach</i> | | 8 | 2 | 1 | | 1 | | 1 | | | | | 4 | 5 | 4 | 5 | | |
| 427 | GREY-BACKED SHRIKE <i>Lanius tephronotus</i> | | 5 | | | 2 | | | | | | 1 | | | 1 | 2 | 1 | | |
| 428 | LARGE WOODSHRIKE <i>Tephrodornis gularis</i> | | 2 | | | 4 | | | | | | 1 | | | | | | | |
| 429 | COMMON WOODSHRIKE <i>Tephrodornis pondicerianus</i> | | 2 | | | | | | | | | 5 | | | 1 | | | | |
| 430 | BLACK DRONGO <i>Dicrurus macrocercus</i> | | 9 | 20 | 30 | 10 | | | 2 | | | | | 35 | 40 | 35 | 12 | 1 | |
| 431 | ASHY DRONGO <i>Dicrurus leucophaeus</i> | | 6 | | | | | | | 6 | 20 | 10 | 6 | 2 | 2 | | | | |
| 432 | BRONZED DRONGO <i>Dicrurus aeneus</i> | | 2 | | | | | | | | | 20 | | 15 | | | | | |
| | | | | 86 | 50 | 123 | 55 | 44 | 45 | 51 | 71 | 74 | 87 | 62 | 63 | 120 | 119 | 71 | 14 |
| | | | BD | S14 | M15 | T16 | W17 | T18 | F19 | S20 | S21 | M22 | T23 | W24 | T25 | F26 | S27 | S28 | M29 |
| 433 | LESSER RACKET-TAILED DRONGO <i>Dicrurus remifer</i> | | 3 | | | 1 | | | | | | 4 | 10 | | | | | | |
| 434 | HAIR-CRESTED DRONGO <i>Dicrurus hottentottus</i> | | 2 | | | 3 | | | | | | | | | 6 | | | | |
| 435 | GREATER RACKET-TAILED DRONGO <i>Dicrurus paradiseus</i> | | 3 | | | 6 | | | | | | 1 | | | 5 | | | | |
| 436 | ASHY WOODSWALLOW <i>Artamus fuscus</i> | | 5 | | 2 | | | | | | | | | | 3 | 2 | 4 | 12 | |
| 437 | EURASIAN JAY <i>Garrulus glandarius</i> | | 1 | | | | 1 | | | | | | | | | | | | |
| 438 | YELLOW-BILLED BLUE-MAGPIE <i>Urocissa flavirostris</i> | | 3 | | | | | | 4 | | | | | 2 | 1 | | | | |
| 439 | GREEN MAGPIE <i>Cissa chinensis</i> | | 3 | | | | | | | | 1 | 2 | | 1 | | | | | |
| 440 | RUFIOUS TREEPIE <i>Dendrocitta vagabunda</i> | | 6 | 1 | 1 | | | | | | | | | | 2 | 2 | 1 | | 1 |
| 441 | GREY TREEPIE <i>Dendrocitta formosae</i> | | 1 | | | | | | | | | | 2 | | | | | | |
| 442 | EURASIAN NUTCRACKER <i>Nucifraga caryocatactes</i> | | 3 | | | | | 3 | | | H | | | 1 | | | | | |
| 443 | HOUSE CROW <i>Corvus splendens</i> | | 6 | 600 | 1000 | | | | | | | | | | 1 | 4 | | 100 | 400 |

